

Kizárólagos importőr:



NORDOST KÁBELEK

NORDOST

ÁRLISTA 1/2016

2016.01.28.

Tel: +361-468-2176

E-mail: info@audiocentrum.hu

www.audiocentrum.hu, www.nordost.com

A fogyasztói árak tartalmazzák az ÁFA-T

1/4 Oldal

új termékek
árváltozás

HANGSZÓRÓKÁBELEK		
Leifstyle széria hangszórókábel	folyméterben	fogyár Ft/m
2 FLAT	2 VEZETŐ TEFLON BEVONATTAL, FEHÉR	4300
4 FLAT BI-WIRE	4 VEZETŐ TEFLON BEVONATTAL, FEHÉR	8700
14-2 bulk speaker cable	2 VEZETŐ 14AWG , PVC BEVONATTAL FEHÉR	3500
LEIF széria : új generációs Flatline hangszórókábelek Nordost Z banándugóval szerelve, csak single wire		
White Lighting 1 m	Flat section, extruded FEP loudspeaker cable	87000
White Lighting 2 m	10 silver-plated 99.9999 OFC conductors 16AWG	101000
White Lighting 3 m	Available in shotgun configuration only	115000
Purple Flare 1 m	Flat section, extruded FEP loudspeaker cable	119000
Purple Flare 2 m	14 silver-plated 99.9999 OFC conductors 15 AWG	139000
Purple Flare 3 m	Available in shotgun configuration only	159000
Blue Heaven LS 1 m	Flat section, extruded FEP loudspeaker cable	139000
Blue Heaven LS 2 m	16 x 14AWG silver-plated 99.9999 OFC conductors	199000
Blue Heaven LS 3 m	Available in shotgun configuration only	259000
Red Dawn LS 1 m	Flat section, extruded FEP loudspeaker cable	209000
Red Dawn LS 2 m	20 x 12AWG silver-plated 99.9999 OFC conductors	279000
Red Dawn LS 3 m	Available in shotgun configuration only	349000
NORSE 2 széria hangszórókábelek		
Micro Mono-Filament hangszórókábel csak single wired		fogyár Ft/pár
HEIMDALL 2 1,0 m	Flat section, extruded FEP loudspeaker cable	380000
HEIMDALL 2 2,0 m	18 x 22AWG silver-plated 99.99999 OFC conductors	500000
HEIMDALL 2 3,0 m	Micro Mono-Filament construction	620000
FREY 2 1,0 m	Flat section, extruded FEP loudspeaker cable	640000
FREY 2 2,0 m	22 x 22AWG silver-plated 99.99999 OFC conductors	790000
FREY 2 3,0 m	Micro Mono-Filament construction	940000
TYR 2 1,0 m	Flat section, extruded FEP loudspeaker cable	1280000
TYR 2 2,0 m	26 x 22AWG silver-plated 99.99999 OFC conductors	1680000
TYR 2 3,0 m	Micro Mono-Filament construction	2080000
REFERENCIA széria hangszóró kábelek		
Micro Mono-Filament hangszórókábel csak single-wired		fogyár Ft/pár
Valhalla 2 Reference 1,25 m	Flat section, extruded FEP loudspeaker cable	2790000
Valhalla 2 Reference 2,0 m	Dual Mono-Filament design, solid core conductor	3390000
Valhalla 2 Reference 2,5 m	28 x 22AWG silver plated (85 microns) 99.999999% OFC	3890000
Valhalla 2 Reference 3,0 m	*Holo: Plug spade or Nordost Z-type banana termination	4390000
ULTRA REFERENCIA széria		
Duál Micro Mono Filament hangszórókábel		fogyár Ft/pár
ODIN Ultra Reference 1,0 m	Flat section, extruded FEP loudspeaker cable	5800000
ODIN Ultra Reference 1,5 m	24 x 20AWG silver plated (85 microns) 99.999999% OFC	6700000
ODIN Ultra Reference 2,0 m	Dual Micro Mono-Filament construction	7600000
ODIN Ultra Reference 2,5 m	Terminated with low-mass Rhodium-plated Z-plugs or spades	8500000
ODIN Ultra Reference 3,0 m	solid core conductors	9400000
ODIN 2 Ultra Reference 1,0 m	High purity class 1.003 extruded Fluorinated Ethylene Propylene	8700000
ODIN 2 Ultra Reference 1,5 m	(FEP) insulation	9800000
ODIN 2 Ultra Reference 2,0 m	* Mechanically tuned spacing, length and Dual Mono-Filament	10900000
ODIN 2 Ultra Reference 2,5 m	construction, TSC design	12000000
ODIN 2 Ultra Reference 3,0 m	26 x 20 AWG silver-plated 99.999999% solid core OFC conductors	13100000
ANALÓG ÖSSZEKÖTŐKÁBELEK		
LEIF - ÁRNYÉKOLT ÖSSZEKÖTŐKÁBELEK RCA vagy XLR CSATLAKOZÓVAL		fogyár Ft/pár
White Lighting 0,6 m	Shielded analog interconnect	46000
White Lighting 1,0 m	FEP Insulation	49000
White Lighting 1,5 m	4 x 26AWG silver-plated 99.9999 OFC solid core conductors	56000
Purple Flare 0,6 m	Shielded analog interconnect	59000
Purple Flare 1,0 m	FEP Insulation	67000
Purple Flare 1,5 m	6 x 26AWG silver-plated 99.9999 OFC solid core conductors	82000

2/4. oldal		
Blue Heaven LS 0,6 m	Shielded analog interconnect	85000
Blue Heaven LS 1,0 m	FEP Insulation	95000
Blue Heaven LS 1,5 m	4 x 24AWG silver-plated 99.9999 OFC solid core conductors	115000
Red Dawn LS 0,6 m	Shielded analog interconnect	124000
Red Dawn LS 1,0 m	FEP Insulation	139000
Red Dawn LS 1,5 m	6 x 24AWG silver-plated 99.9999 OFC solid core conductors	164000
NORSE 2 - MIKRO MONO- FILAMENT ÖSSZEKÖTŐKÁBELEK RCA vagy XLR CSATLAKOZÓVAL		fogyár Ft/pár
HEIMDALL 2 0,6 m	Shielded analog interconnect	189000
HEIMDALL 2 1,0 m	4 x 24AWG silver-plated 99.99999 OFC solid core conductors	239000
HEIMDALL 2 1,5 m	MoonGlo RCA or Neutrik XLR termination	299000
FREY 2 0,6 m	Shielded analog interconnect	299000
FREY 2 1,0 m	5 x 24AWG silver-plated 99.99999 OFC solid core conductors	379000
FREY 2 1,5 m	MoonGlo RCA or Neutrik XLR termination	469000
TYR 2 0,6 m	Shielded analog interconnect	569000
TYR 2 1,0 m	7 x 24AWG silver-plated 99.99999 OFC solid core conductors	679000
TYR 2 1,5 m	Dual Micro Mono-Filament Construction	789000
TYR 2 2,0 m	MoonGlo RCA or Neutrik XLR termination	899000
REFERENCIA MIKRO MONO- FILAMENT ÖSSZEKÖTŐKÁBELEK RCA vagy XLR CSATLAKOZÓVAL		fogyár Ft/pár
Valhalla 2 Reference 0,6 m	Dual shielded silver braid analog interconnect	1890000
Valhalla 2 Reference 1,0 m	10 x24 AWG silver plated 99.999999% OFC solid core conductor	2190000
Valhalla 2 Reference 1,5 m	Dual Mono-Filament design	2490000
Valhalla 2 Reference 2,0 m	Holo:Plug RCA or Holo:Plug XLR termination	2790000
ODIN Ultra Reference 0,6 m	100% Shielded analog interconnect with TSC	3990000
ODIN Ultra Reference 1,0 m	8 x 23AWG silver-plated 99.999999 OFC solid cores	4590000
ODIN Ultra Reference 1,5 m	Dual Micro Mono-Filament Construction with TSC	5190000
ODIN Ultra Reference 2,0 m	WBT Nextgen Ag RCA or rhodium plated Furutech XLR termination	5790000
ODIN 2 Ultra Reference 0,6 m	Mechanically tuned lay, length and Dual Mono-Filament	5800000
ODIN 2 Ultra Reference 1,0 m	construction, TSC design	6500000
ODIN 2 Ultra Reference 1,5 m	• 10 x 23 AWG silver-plated 99.999999% solid core OFC	7300000
ODIN 2 Ultra Reference 2,0 m	High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation	8100000
iKables		
Blue Heaven iKable 0,6 m	4 x 24 AWG stranded silver-plated 99.9999% OFC conductors	49000
Blue Heaven iKable 1.0 m	3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)	58000
Blue Heaven iKable 2.0 m	3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)	77000
Blue Heaven iKable 3.0 m	3.5mm stereo mini (Neutrik) to (2x) RCA (Nordost MoonGlo)	96000
Heimdall 2 iKable 0,6 m	4 x 24 AWG stranded silver-plated 99.99999% OFC conductors	97000
Heimdall 2 iKable 1.0 m	Dual Mono-Filament technology	124000
Heimdall 2 iKable 2.0 m	3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)	178000
Heimdall 2 iKable 3.0 m	3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)	232000
	3.5mm stereo mini (Neutrik) to (2x) RCA (Nordost MoonGlo)	
Fejhallgató kábelek		
Blue Heaven fejhallgató kábel 1,25 m	34 AWG 7/42 Litz Wire Construction	89000
Blue Heaven fejhallgató kábel 2.0 m	• Micro Mono-Filament technology	119000
Heimdall 2 fejhallgató kábel 2.0 m	32 AWG 7/40 Litz Wire Construction	199000
Heimdall 2 fejhallgató kábel hosszabbító 2.0 m	• Micro Mono-Filament technology	139000
Digitális összekötőkábelek		
LEIF széria		fogyár Ft/db
Blue Heaven 1,0 m	Dedicated 75 Ohm S/PDIF digital cable with RCA adapters	53000
Blue Heaven 1,5 m	24AWG silver-plated 99.9999 OFC solid core co-axial design	59000
Purple Flare USB 2.0 0,6 m	4 x 28 AWG silver-plated 99.9999% OFC stranded conductors	48000
Purple Flare USB 2.0 1.0 m	Fluorinated Ethylene Propylene (FEP) insulation	54000
Purple Flare USB 2.0 2.0 m	• Mechanically tuned lay, twisted shielded pair design	65000
Purple Flare USB 2.0 3.0 m	A- B, A -Mikro B, A-Mini B configuration	76000
Blue Heaven USB 2.0 1,0 m	AB configuration	67000
Blue Heaven USB 2.0 2,0 m	Micro Mono-Filament Construction	92000
Blue Heaven USB 2.0 3,0 m	Also available AA configuration	117000
Blue Heaven USB 2.0 5,0 m		167000
Blue Heaven HDMI 1,0 m	Hand-built and terminated in the USA	94000
Blue Heaven HDMI 2,0 m	Micro Mono-Filament Construction	119000
Blue Heaven HDMI 3,0 m	DPL Labs certified up to 7m	144000
Blue Heaven HDMI 5,0 m		194000
Blue Heaven HDMI 7,0 m		244000
Blue Heaven HDMI 9,0 m	High speed with ethernet and audio return	294000
Blue Heaven HDMI 12,0 m		369000

			3/4. oldal	
LEIF széria				fogyár Ft/db
Blue Heaven Ethernet kábel 1,0 m			• 24 AWG solid core copper conductors	99000
Blue Heaven Ethernet kábel 2,0 m			• Screened Foiled Twisted Pair Design (s/ftp)	129000
Blue Heaven Ethernet kábel 3,0 m			• Fully Shielded Dual Braid	159000
Blue Heaven Ethernet kábel 8,0 m			• High-Density Polymer Insulation	309000
			• Cable speed up to 600 MHz	
Digitális összekötőkábelek				
NORSE 2 széria			Micro Mono-Filament Construction	fogyár Ft/db
HEIMDALL 2	1,0 m BNC		Dedicated 75 Ohm S/PDIF digital cable with RCA adapters	194000
HEIMDALL 2	1,5 m BNC		20AWG silver-plated 99.99999 OFC solid core co-axial design	234000
HEIMDALL 2	1,0 m AES/EBU		Dedicated 110 Ohm AES/EBU balanced digital cable	194000
HEIMDALL 2	1,5 m AES/EBU		2x 20AWG Silver-plated 99.99999 OFC solid core conductors	234000
TYR 2	1,0 m BNC		Dual Mono-Filament technology	390000
TYR 2	1,5 m BNC		•75 Ohm S/PDIF digital cable terminated with BNC	490000
TYR 2	1,0 m AES/EBU		•BNC to RCA adapters are included	390000
TYR 2	1,5 m AES/EBU		•18 AWG silver plated 99.99999 OFC solid core conductor	490000
Heimdall 2 USB 2.0	1,0 m A-B		•Newly optimized Dual Mono-Filament construction	134000
Heimdall 2 USB 2.0	2,0 m A-B		4x20 AWG Silver plated 99.99999 OFC stranded conductors	159000
Heimdall 2 4K UHD HDMI	1.0 m		• High purity class 1.003 extruded Fluorinated Ethylene	159000
Heimdall 2 4K UHD HDMI	2.0 m		Propylene (FEP) insulation	214000
Heimdall 2 4K UHD HDMI	3.0 m		• Mechanically tuned lay and Micro Mono-Filament	269000
Heimdall 2 4K UHD HDMI	5.0 m		construction, twin-axial shielded pair design	379000
Heimdall 2 4K UHD HDMI	7.0 m		• 19 x 25 AWG silver-plated 99.99999% solid core OFC conductors	489000
Heimdall 2 4K UHD HDMI	10.0 m		• 100% Total shield coverage	654000
Heimdall 2 Ethernet kábel	1,0 m		• Velocity of Propagation: 86% Speed of Light	179000
Heimdall 2 Ethernet kábel	2,0 m		• Screened Foiled Twisted Pair Design (s/ftp)	224000
Heimdall 2 Ethernet kábel	3,0 m		• Fully Shielded Dual Braid	269000
Heimdall 2 Ethernet kábel	8,0 m		• High-Density Polymer Insulation	494000
			• Mechanically tuned lengths • Cable speed up to 1000 MHz	
REFERENCIA széria			Dual Micro Mono-Filament Construction	fogyár Ft/db
Valhalla 2 Reference	1,0 m RCA		Dedicated 75 Ohm S/PDIF digital cable	940000
Valhalla 2 Reference	1,5 m RCA		Silver-plated 99.999999 OFC solid core co-axial design	1190000
Valhalla 2 Reference	1,0 m AES/EBU		•110 Ohm AES/EBU digital cable terminated with Neutrik XLR	940000
Valhalla 2 Reference	1,5 m AES/EBU		•Two Silver plated (85 microns) 99.999999% OFC solid core	1190000
Valhalla 2 4K UHD HDMI	1.0 m		• High purity class 1.003 extruded Fluorinated Ethylene	790000
Valhalla 2 4K UHD HDMI	2.0 m		Propylene (FEP) insulation	1070000
Valhalla 2 4K UHD HDMI	3.0 m		• Mechanically tuned lay and Micro Mono-Filament	1350000
Valhalla 2 4K UHD HDMI	5.0 m		construction, twin-axial shielded pair design	1890000
Valhalla 2 4K UHD HDMI	7.0 m		• 19 x 24 AWG silver-plated 99.999999% solid core OFC	2470000
Valhalla 2 4K UHD HDMI	10.0 m		conductors	2430000
Valhalla 2 4K UHD HDMI	12.0 m		• 100% Total shield coverage	3780000
Valhalla 2 4K UHD HDMI	15.0 m		• Velocity of Propagation: 86% Speed of Light	4590000
ULTRA REFERENCIA széria			Dual Micro Mono-Filament Construction with TSC	fogyár Ft/db
ODIN 2 Ultra Reference	1,25 m RCA			3300000
ODIN 2 Ultra Reference	2,5 m RCA			4200000
ODIN 2 Ultra Reference	1,25 m AES/EBU			3300000
ODIN 2 Ultra Reference	2,5 m AES/EBU			4200000
Lemezjátszó analóg összekötő kábelek				
LEIF széria			Shielded analog interconnect	fogyár Ft/pár
Blue Heaven	1,25 m		4 x 24AWG silver-plated 99.9999 OFC solid core conductors	99000
NORSE 2 széria			Micro Mono-Filament design	fogyár Ft/pár
Heimdall 2	1,25 m		4 x 24AWG silver-plated 99.99999 OFC solid core conductors	169000
Frey 2	1,25 m		5 x 24AWG silver-plated 99.9999 OFC solid core conductors	219000
Norse 2 Internal Tonarm Cable	1m			79000
Norse 2 Internal Tonarm Cable	2 m			159000
REFERENCIA széria			Dual Micro Mono-Filament design	fogyár Ft/pár
Valhalla 2	1,25 m		4 x 24AWG silver-plated 99.999999 OFC solid core conductors	1390000
ULTRA REFERENCIA széria			Dual Micro Mono-Filament design with TSC	fogyár Ft/pár
Odin	1,25 m		4 x 23AWG silver-plated 99.999999 OFC solid core conductors	2890000
Odin 2	1,25 m			3890000
Reference Internal Tonarm Cable	1 m			99000
Reference Internal Tonarm Cable	2 m			198000

4/4. oldal		
Subwoofer árnyékolt összekötő kábelek	Shielded analog interconnect optimized for LF transmission	fogyár Ft/db
BASSLINE 1.0 m		27000
BASSLINE 2.0 m	6 x 24AWG silver-plated 99.9999 OFC solid cores	42000
BASSLINE 3.0 m	Aluminized Mylar shield/FEP Insulation	57000
Hálózati kábelek		fogyár Ft/db
LEIF széria	Micro Mono-Filament Construction	fogyár Ft/db
Purple Flare 1,0 m	Dedicated two conductor design for Fig-8 applications ONLY	39000
Purple Flare 1,5 m	2 x 16AWG 65 strand 99.9999 OFC conductors	46000
Purple Flare 2,0 m	FEP Insulation/ UL approved	54000
Blue Heaven LS 1,0 m	15 Amp IEC Power Cord	54000
Blue Heaven LS 1,5 m	3 x 16AWG 65 strand 99.9999 OFC conductors	66000
Blue Heaven LS 2,0 m	FEP Insulation/ UL approved	79000
Red Dawn LS 1.0 m	15 Amp IEC Power Cord	95000
Red Dawn LS 1.5 m	3 x 14AWG 65 strand 99.9999 OFC conductors	117000
Red Dawn LS 2.0 m	FEP Insulation/ UL approved	139000
NORSE 2 széria	Micro Mono-Filament Construction/FEP Insulation	fogyár Ft/db
HEIMDALL 2 1,0 m	15/20 Amp IEC Power Cord	169000
HEIMDALL 2 2,0 m	3 x 16AWG silver-plated 99.99999 OFC solid cores	219000
HEIMDALL 2 3,0 m	90 degree IEC or wall plug available	269000
FREY 2 1,0 m	15/20 Amp IEC Power Cord	439000
FREY 2 2,0 m	5 x 16AWG silver-plated 99.99999 OFC solid cores	529000
FREY 2 3,0 m		619000
TYR 2 1.0 m	20 Amp IEC Power Cord	790000
TYR 2 2.0 m	7 x 16AWG silver-plated 99.99999 OFC solid cores	940000
TYR 2 3.0 m	Low dielectric FEP insulation	1090000
REFERENCIA széria Hálózati kábelek	Dual Micro Mono-Filament Construction	fogyár Ft/db
Valhalla 2 Reference 1,0 m	Dual Micro Mono-Filament Construction/FEP Insulation	1450000
Valhalla 2 Reference 2,0 m	15/20 Amp IEC Power Cord	1750000
Valhalla 2 Reference 3,0 m	7 x 16 AWG silver plated 99.999999% OFC solid core conductor	2050000
ULTRA REFERENCIA széria	Dual Micro Mono-Filament Construction with TSC	fogyár Ft/db
ODIN Ultra Reference 1,25 m	15/20 Amp IEC Power Cord	3190000
ODIN Ultra Reference 2,5 m	7 x 15AWG silver-plated 99.99999 OFC solid cores	4640000
ODIN Ultra Reference 5,0 m	FEP Insulation	7540000
ODIN 2 Ultra Reference 1,25 m	High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation	4890000
ODIN 2 Ultra Reference 2,5 m		6390000
ODIN 2 Ultra Reference 5,0 m	• Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC design	9290000
	• 7 x 14 AWG silver-plated 99.999999% OFC solid core conductors	
Egyéb termékek		fogyár Ft/db
Sort Kone AS	Aluminum Sort Kone w/steel ball	19000
Sort Kone AC	Aluminum Sort Kone w/ceramic ball	23000
Sort Kone BC	Bronze Sort Kone w/ ceramic ball	38000
Sort Kone TC	Titanium Sort Kone w/ceramic ball	99000
Sort Füt 4 db-os készlet	Aluminum and Bronze hybrid construction	390000
Norse széria biwíre jumper set	4 individual jumpers banana/spade or spade/spade	39000
Referencia széria biwíre jumper set	5 individual jumpers banana/spade or spade/spade	159000
ECO 3 (236 ml)	kábel és csatlakozó karbantartó antisztatikus spray	11000
Nordost Set-up and tuning CD		7900
AX ANGEL PRo Cables	Studio Series	fogyár Ft/db
Gitár összekötő kábel 3.0 m	3 m 6,3/6,3 mono jack	69000
Gitár összekötő kábel 4.0 m	4 m 6,3/6,3 mono jack	97000
Patch kábel 0,22 m/ db	0,22 m 1/4" Neutrik 1 db	28000
Patch kábel 0,22 m/ pár	0,22 m 1/4" Neutrik párban	45000
Tápkábel 1.0 m		56000
Tápkábel 2.0 m		69000
Tápkábel 3.0 m		82000