

Kizárólagos importőr:



NORDOST KÁBELEK

ÁRLISTA 1/2017

2017.09.23..

Tel: +361-468-2176

E-mail: info@audiocentrum.hu

www.audiocentrum.hu, www.nordost.com

A fogyasztói árak tartalmazzák az ÁFA-T

1/4 Oldal

új termék

HANGSZÓRÓKÁBELEK		
Leifstyle széria hangszórókábel	folyóméterben	fogyár Ft/m
2 FLAT	2 VEZETŐ TEFLON BEVONATTAL, FEHÉR	4300
4 FLAT BI-WIRE	4 VEZETŐ TEFLON BEVONATTAL, FEHÉR	8700
14-2 bulk speaker cable	2 VEZETŐ 14AWG , PVC BEVONATTAL FEHÉR	3500
LEIF széria : új generációs Flatline hangszórókábelek Nordost Z banándugóval szerelve, csak single wire		fogyár Ft/pár
White Lighting 1 m	Flat section, extruded FEP loudspeaker cable	87000
White Lighting 2 m	10 silver-plated 99.9999 OFC conductors 16AWG	101000
White Lighting 3 m	Available in shotgun configuration only	115000
Purple Flare 1 m	Flat section, extruded FEP loudspeaker cable	119000
Purple Flare 2 m	14 silver-plated 99.9999 OFC conductors 15 AWG	139000
Purple Flare 3 m	Available in shotgun configuration only	159000
Blue Heaven LS 1 m	Flat section, extruded FEP loudspeaker cable	139000
Blue Heaven LS 2 m	16 x 14AWG silver-plated 99.9999 OFC conductors	199000
Blue Heaven LS 3 m	Available in shotgun configuration only	259000
Red Dawn LS 1 m	Flat section, extruded FEP loudspeaker cable	209000
Red Dawn LS 2 m	20 x 12AWG silver-plated 99.9999 OFC conductors	279000
Red Dawn LS 3 m	Available in shotgun configuration only	349000
NORSE 2 széria hangszórókábelek		fogyár Ft/pár
HEIMDALL 2 1,0 m	Flat section, extruded FEP loudspeaker cable	380000
HEIMDALL 2 2,0 m	18 x 22AWG silver-plated 99.99999 OFC conductors	500000
HEIMDALL 2 3,0 m	Micro Mono-Filament construction	620000
FREY 2 1,0 m	Flat section, extruded FEP loudspeaker cable	640000
FREY 2 2,0 m	22 x 22AWG silver-plated 99.99999 OFC conductors	790000
FREY 2 3,0 m	Micro Mono-Filament construction	940000
TYR 2 1,0 m	Flat section, extruded FEP loudspeaker cable	1390000
TYR 2 2,0 m	26 x 22AWG silver-plated 99.99999 OFC conductors	1790000
TYR 2 3,0 m	Micro Mono-Filament construction	2190000
REFERENCIA széria hangszóró kábelek		fogyár Ft/pár
Valhalla 2 Reference 1,25 m	Flat section, extruded FEP loudspeaker cable	2990000
Valhalla 2 Reference 2,0 m	Dual Mono-Filament design, solid core conductor	3690000
Valhalla 2 Reference 2,5 m	28 x 22AWG silver plated (85 microns) 99.999999% OFC	4190000
Valhalla 2 Reference 3,0 m	*Holo: Plug spade or Nordost Z-type banana termination	4690000
ULTRA REFERENCIA széria		fogyár Ft/pár
ODIN Ultra Reference 1,0 m	Flat section, extruded FEP loudspeaker cable	6300000
ODIN Ultra Reference 1,5 m	24 x 20AWG silver plated (85 microns) 99.999999% OFC	7200000
ODIN Ultra Reference 2,0 m	Dual Micro Mono-Filament construction	8100000
ODIN Ultra Reference 2,5 m	Terminated with low-mass Rhodium-plated Z-plugs or spades	9000000
ODIN Ultra Reference 3,0 m	solid core conductors	9900000
ODIN 2 Ultra Reference 1,0 m	High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation	9300000
ODIN 2 Ultra Reference 1,5 m	(FEP) insulation	10500000
ODIN 2 Ultra Reference 2,0 m	• Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC design	11700000
ODIN 2 Ultra Reference 2,5 m	construction, TSC design	12900000
ODIN 2 Ultra Reference 3,0 m	26 x 20 AWG silver-plated 99.999999% solid core OFC conductors	14100000
ANALÓG ÖSSZEKÖTŐKÁBELEK		
LEIF - ÁRNYÉKOLT ÖSSZEKÖTŐKÁBELEK RCA vagy XLR CSATLAKOZÓVAL		fogyár Ft/pár
White Lighting 0,6 m	Shielded analog interconnect	46000
White Lighting 1,0 m	FEP Insulation	49000
White Lighting 1,5 m	4 x 26AWG silver-plated 99.9999 OFC solid core conductors	56000
Purple Flare 0,6 m	Shielded analog interconnect	59000
Purple Flare 1,0 m	FEP Insulation	67000
Purple Flare 1,5 m	6 x 26AWG silver-plated 99.9999 OFC solid core conductors	82000

2/4. oldal		
ANALÓG ÖSSZEKÖTŐKÁBELEK		
LEIF - ÁRNYÉKOLT ÖSSZEKÖTŐKÁBELEK RCA vagy XLR CSATLAKOZÓVAL		fogyár Ft/pár
Blue Heaven LS 0,6 m	Shielded analog interconnect	85000
Blue Heaven LS 1,0 m	FEP Insulation	95000
Blue Heaven LS 1,5 m	4 x 24AWG silver-plated 99.9999 OFC solid core conductors	115000
Red Dawn LS 0,6 m	Shielded analog interconnect	124000
Red Dawn LS 1,0 m	FEP Insulation	139000
Red Dawn LS 1,5 m	6 x 24AWG silver-plated 99.9999 OFC solid core conductors	164000
NORSE 2 - MIKRO MONO- FILAMENT ÖSSZEKÖTŐKÁBELEK RCA vagy XLR CSATLAKOZÓVAL		fogyár Ft/pár
HEIMDALL 2 0,6 m	Shielded analog interconnect	189000
HEIMDALL 2 1,0 m	4 x 24AWG silver-plated 99.99999 OFC solid core conductors	239000
HEIMDALL 2 1,5 m	MoonGlo RCA or Neutrik XLR termination	299000
FREY 2 0,6 m	Shielded analog interconnect	299000
FREY 2 1,0 m	5 x 24AWG silver-plated 99.99999 OFC solid core conductors	379000
FREY 2 1,5 m	MoonGlo RCA or Neutrik XLR termination	469000
TYR 2 0,6 m	Shielded analog interconnect	599000
TYR 2 1,0 m	7 x 24AWG silver-plated 99.99999 OFC solid core conductors	719000
TYR 2 1,5 m	Dual Micro Mono-Filament Construction	849000
TYR 2 2,0 m	MoonGlo RCA or Neutrik XLR termination	969000
REFERENCIA MIKRO MONO- FILAMENT ÖSSZEKÖTŐKÁBELEK RCA vagy XLR CSATLAKOZÓVAL		fogyár Ft/pár
Valhalla 2 Reference 0,6 m	Dual shielded silver braid analog interconnect	1990000
Valhalla 2 Reference 1,0 m	10 x24 AWG silver plated 99.9999999% OFC solid core conductor	2320000
Valhalla 2 Reference 1,5 m	Dual Mono-Filament design	2630000
Valhalla 2 Reference 2,0 m	Holo:Plug RCA or Holo:Plug XLR termination	2940000
ODIN Ultra Reference 0,6 m	100% Shielded analog interconnect with TSC	4390000
ODIN Ultra Reference 1,0 m	8 x 23AWG silver-plated 99.9999999 OFC solid cores	4990000
ODIN Ultra Reference 1,5 m	Dual Micro Mono-Filament Construction with TSC	5590000
ODIN Ultra Reference 2,0 m	WBT Nextgen Ag RCA or rhodium plated Furutech XLR termination	6190000
ODIN 2 Ultra Reference 0,6 m	Mechanically tuned lay, length and Dual Mono-Filament	6290000
ODIN 2 Ultra Reference 1,0 m	construction, TSC design	6990000
ODIN 2 Ultra Reference 1,5 m	• 10 x 23 AWG silver-plated 99.999999% solid core OFC	7790000
ODIN 2 Ultra Reference 2,0 m	High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation	8590000
iKables		
Blue Heaven iKable 0,6 m	4 x 24 AWG stranded silver-plated 99.9999% OFC conductors	49000
Blue Heaven iKable 1.0 m	3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)	58000
Blue Heaven iKable 2.0 m	3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)	77000
Blue Heaven iKable 3.0 m	3.5mm stereo mini (Neutrik) to (2x) RCA (Nordost MoonGlo)	96000
Heimdall 2 iKable 0,6 m	4 x 24 AWG stranded silver-plated 99.99999% OFC conductors	97000
Heimdall 2 iKable 1.0 m	Dual Mono-Filament technology	124000
Heimdall 2 iKable 2.0 m	3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)	178000
Heimdall 2 iKable 3.0 m	3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)	232000
Fejhallgató kábelek		
Blue Heaven fejhallgató kábel 1,25 m	34 AWG 7/42 Litz Wire Construction	89000
Blue Heaven fejhallgató kábel 2.0 m	• Micro Mono-Filament technology	119000
Heimdall 2 fejhallgató kábel 2.0 m	32 AWG 7/40 Litz Wire Construction	199000
Heimdall 2 fejhallgató kábel hosszabbító 2.0 m	• Micro Mono-Filament technology	139000
Digitális összekötőkábelek		
LEIF széria		fogyár Ft/db
Blue Heaven 1,0 m	Dedicated 75 Ohm S/PDIF digital cable with RCA adapters	53000
Blue Heaven 1,5 m	24AWG silver-plated 99.9999 OFC solid core co-axial design	59000
Purple Flare USB 2.0 0,6 m	4 x 28 AWG silver-plated 99.9999% OFC stranded conductors	48000
Purple Flare USB 2.0 1.0 m	Fluorinated Ethylene Propylene (FEP) insulation	54000
Purple Flare USB 2.0 2.0 m	• Mechanically tuned lay, twisted shielded pair design	65000
Purple Flare USB 2.0 3.0 m	A- B, A -Mikro B, A-Mini B configuration	76000
Blue Heaven USB 2.0 1,0 m	AB configuration	67000
Blue Heaven USB 2.0 2,0 m	Micro Mono-Filament Construction	92000
Blue Heaven USB 2.0 3,0 m	Also available AA configuration	117000
Blue Heaven USB 2.0 5,0 m		167000
Blue Heaven HDMI 1,0 m	Hand-built and terminated in the USA	94000
Blue Heaven HDMI 2,0 m	Micro Mono-Filament Construction	119000
Blue Heaven HDMI 3,0 m	DPL Labs certified up to 7m	144000
Blue Heaven HDMI 5,0 m		194000

		3/4. oldal	
LEIF széria			fogyár Ft/db
Blue Heaven	HDMI 7,0 m		244000
Blue Heaven	HDMI 9,0 m	High speed with ethernet and audio return	294000
Blue Heaven	HDMI 12,0 m		369000
Blue Heaven	Ethernet kábel 1,0 m	• 24 AWG solid core copper conductors	99000
Blue Heaven	Ethernet kábel 2,0 m	• Screened Foiled Twisted Pair Design (s/ftp)	129000
Blue Heaven	Ethernet kábel 3,0 m	• Fully Shielded Dual Braid	159000
Blue Heaven	Ethernet kábel 8,0 m	• High-Density Polymer Insulation	309000
		• Cable speed up to 600 MHz	
Digitális összekötőkábelek			
NORSE 2 széria		Micro Mono-Filament Construction	fogyár Ft/db
HEIMDALL 2	1,0 m BNC	Dedicated 75 Ohm S/PDIF digital cable with RCA adapters	194000
HEIMDALL 2	1,5 m BNC	20AWG silver-plated 99.99999 OFC solid core co-axial design	234000
HEIMDALL 2	1,0 m AES/EBU	Dedicated 110 Ohm AES/EBU balanced digital cable	194000
HEIMDALL 2	1,5 m AES/EBU	2x 20AWG Silver-plated 99.99999 OFC solid core conductors	234000
TYR 2	1,0 m BNC	Dual Mono-Filament technology	390000
TYR 2	1,5 m BNC	•75 Ohm S/PDIF digital cable terminated with BNC	490000
TYR 2	1,0 m AES/EBU	•BNC to RCA adapters are included	390000
TYR 2	1,5 m AES/EBU	•18 AWG silver plated 99.99999 OFC solid core conductor	490000
Heimdall 2	USB 2.0 1,0 m A-B	•Newly optimized Dual Mono-Filament construction	134000
Heimdall 2	USB 2.0 2,0 m A-B	4x20 AWG Silver plated 99.99999 OFC stranded conductors	159000
TYR 2	USB 2.0 1,0 m A-B	•Newly optimized Dual Mono-Filament construction	349000
TYR 2	USB 2.0 2,0 m A-B	4x20 AWG Silver plated 99.99999 OFC solid core conductors	439000
Heimdall 2	4K UHD HDMI 1.0 m	• High purity class 1.003 extruded Fluorinated Ethylene	159000
Heimdall 2	4K UHD HDMI 2.0 m	Propylene (FEP) insulation	214000
Heimdall 2	4K UHD HDMI 3.0 m	• Mechanically tuned lay and Micro Mono-Filament	269000
Heimdall 2	4K UHD HDMI 5.0 m	construction, twin-axial shielded pair design	379000
Heimdall 2	4K UHD HDMI 7.0 m	• 19 x 25 AWG silver-plated 99.99999% solid core OFC conductors	489000
Heimdall 2	4K UHD HDMI 10.0 m	• 100% Total shield coverage	654000
Heimdall 2	Ethernet kábel 1,0 m	• Velocity of Propagation: 86% Speed of Light	179000
Heimdall 2	Ethernet kábel 2,0 m	• Screened Foiled Twisted Pair Design (s/ftp)	224000
Heimdall 2	Ethernet kábel 3,0 m	• Fully Shielded Dual Braid	269000
Heimdall 2	Ethernet kábel 8,0 m	• High-Density Polymer Insulation	494000
		• Mechanically tuned lengths • Cable speed up to 1000 MHz	
REFERENCIA széria		Dual Micro Mono-Filament Construction	fogyár Ft/db
Valhalla 2 Reference	1,0 m RCA	Dedicated 75 Ohm S/PDIF digital cable	990000
Valhalla 2 Reference	1,5 m RCA	Silver-plated 99.999999 OFC solid core co-axial design	1290000
Valhalla 2 Reference	1,0 m AES/EBU	•110 Ohm AES/EBU digital cable terminated with Neutrik XLR	990000
Valhalla 2 Reference	1,5 m AES/EBU	•Two Silver plated (85 microns) 99.999999% OFC solid core	1290000
Valhalla 2 Reference	USB 2.0 1,0 m A-B	•Dual Mono-Filament construction- Flat, Twin-axial design	999000
Valhalla 2 Reference	USB 2.0 2,0 m A-B	•4x19 AWG solid core, silver-plated 99.999999% OFC conductors	1349000
Valhalla 2	4K UHD HDMI 1.0 m	• High purity class 1.003 extruded Fluorinated Ethylene	890000
Valhalla 2	4K UHD HDMI 2.0 m	Propylene (FEP) insulation	1190000
Valhalla 2	4K UHD HDMI 3.0 m	• Mechanically tuned lay and Micro Mono-Filament	1490000
Valhalla 2	4K UHD HDMI 5.0 m	construction, twin-axial shielded pair design	2090000
Valhalla 2	4K UHD HDMI 7.0 m	• 19 x 24 AWG silver-plated 99.999999% solid core OFC	2690000
Valhalla 2	4K UHD HDMI 10.0 m	conductors	3590000
Valhalla 2	4K UHD HDMI 12.0 m	• 100% Total shield coverage	4190000
Valhalla 2	4K UHD HDMI 15.0 m	• Velocity of Propagation: 86% Speed of Light	5090000
ULTRA REFERENCIA széria		Dual Micro Mono-Filament Construction with TSC	fogyár Ft/db
ODIN 2 Ultra Reference	1,25 m RCA		3300000
ODIN 2 Ultra Reference	2,5 m RCA		4200000
ODIN 2 Ultra Reference	1,25 m AES/EBU		3390000
ODIN 2 Ultra Reference	2,5 m AES/EBU		4290000
Lemezjátszó analóg összekötőkábelek			
LEIF széria		Shielded analog interconnect	fogyár Ft/pár
Blue Heaven	1,25 m	4 x 24AWG silver-plated 99.9999 OFC solid core conductors	99000
NORSE 2 széria		Micro Mono-Filament design	fogyár Ft/pár
Heimdall 2	1,25 m	4 x 24AWG silver-plated 99.9999 OFC solid core conductors	169000
Frey 2	1,25 m	5 x 24AWG silver-plated 99.9999 OFC solid core conductors	219000
Norse 2	Internal Tonarm Cable 1m		79000
Norse 2	Internal Tonarm Cable 2 m		159000

4/4. oldal		
REFERENCIA széria	Dual Micro Mono-Filament design	fogyár Ft/pár
Valhalla 2 1,25 m	4 x 24AWG silver-plated 99.99999 OFC solid core conductors	1490000
ULTRA REFERENCIA széria	Dual Micro Mono-Filament design with TSC	fogyár Ft/pár
Odin 2 1,25 m		3790000
Reference Internal Tonarm Cable 1 m		99000
Reference Internal Tonarm Cable 2 m		198000
Subwoofer árnyékolt összekötő kábelek	Shielded analog interconnect optimized for LF transmission	fogyár Ft/db
BASSLINE 1.0 m		27000
BASSLINE 2.0 m	6 x 24AWG silver-plated 99.9999 OFC solid cores	42000
BASSLINE 3.0 m	Aluminized Mylar shield/FEP Insulation	57000
Hálózati kábelek		fogyár Ft/db
LEIF széria	Micro Mono-Filament Construction	fogyár Ft/db
Purple Flare 1,0 m	Dedicated two conductor design for Fig-8 applications ONLY	39000
Purple Flare 1,5 m	2 x 16AWG 65 strand 99.9999 OFC conductors	46000
Purple Flare 2,0 m	FEP Insulation/ UL approved	54000
Blue Heaven LS 1,0 m	15 Amp IEC Power Cord	54000
Blue Heaven LS 1,5 m	3 x 16AWG 65 strand 99.9999 OFC conductors	66000
Blue Heaven LS 2,0 m	FEP Insulation/ UL approved	79000
Red Dawn LS 1.0 m	15 Amp IEC Power Cord	95000
Red Dawn LS 1.5 m	3 x 14AWG 65 strand 99.9999 OFC conductors	117000
Red Dawn LS 2.0 m	FEP Insulation/ UL approved	139000
NORSE 2 széria	Micro Mono-Filament Construction/FEP Insulation	fogyár Ft/db
HEIMDALL 2 1,0 m	15/20 Amp IEC Power Cord	169000
HEIMDALL 2 2,0 m	3 x 16AWG silver-plated 99.99999 OFC solid cores	219000
HEIMDALL 2 3,0 m	90 degree IEC or wall plug available	269000
FREY 2 1,0 m	15/20 Amp IEC Power Cord	439000
FREY 2 2,0 m	5 x 16AWG silver-plated 99.99999 OFC solid cores	529000
FREY 2 3,0 m		619000
TYR 2 1.0 m	20 Amp IEC Power Cord	790000
TYR 2 2.0 m	7 x 16AWG silver-plated 99.99999 OFC solid cores	940000
TYR 2 3.0 m	Low dielectric FEP insulation	1090000
REFERENCIA széria Hálózati kábelek	Dual Micro Mono-Filament Construction	fogyár Ft/db
Valhalla 2 Reference 1,0 m	Dual Micro Mono-Filament Construction/FEP Insulation	1550000
Valhalla 2 Reference 2,0 m	15/20 Amp IEC Power Cord	1850000
Valhalla 2 Reference 3,0 m	7 x 16 AWG silver plated 99.999999% OFC solid core conductor	2150000
ULTRA REFERENCIA széria	Dual Micro Mono-Filament Construction with TSC	fogyár Ft/db
ODIN Ultra Reference 1,25 m	15/20 Amp IEC Power Cord	3390000
ODIN Ultra Reference 2,5 m	7 x 15AWG silver-plated 99.99999 OFC solid cores	4990000
ODIN Ultra Reference 5,0 m	FEP Insulation	7990000
ODIN 2 Ultra Reference 1,25 m	High purity class 1.003 extruded Fluorinated Ethylene Propylene	5290000
ODIN 2 Ultra Reference 2,5 m	(FEP) insulation	6790000
ODIN 2 Ultra Reference 5,0 m	• Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC design	9890000
	• 7 x 14 AWG silver-plated 99.999999% OFC solid core conductors	
QRT POWER SZÉRIA		fogyár Ft/db
Qx2	elektromágneses tér stabilizátor 2 db QX modulal	479000
Qx4	elektromágneses tér stabilizátor 4 db QX modulal	719000
QB4 MKII.	hálózati elosztó EMF stabilizátorral , 4 csatlakozó	289000
QB8 MK II.	hálózati elosztó EMF stabilizátorral , 8 csatlakozó	489000
QB8 MK II. 16 A	hálózati elosztó EMF stabilizátorral , 8 csatlakozó 16 A IEC	569000
Qv2	AC line harmonizáló	99000
QK1	AC hálózat tisztító	79000
Qkore1	Földelő egység 1 kimenet	790000
Qkore3	Földelő egység 3 kimenet	1090000
Qkore6	Földelő egység 6 kimenet	1590000
Qkore wire	2 m speciális földelő kábel Qkore egységhez	99000
Egyéb termékek		fogyár Ft/db
Sort Kone AS	Aluminum Sort Kone w/steel ball	23000
Sort Kone AC	Aluminum Sort Kone w/ceramic ball	28000
Sort Kone BC	Bronze Sort Kone w/ ceramic ball	45000
Sort Kone TC	Titanium Sort Kone w/ceramic ball	115000
Sort Füt	Aluminum and Bronze hybrid construction	99000
Sort Füt 4 db-os készlet	Aluminum and Bronze hybrid construction	450000
Sort Lift	hangszóró kábel távtartó - 2 db-os készlet	179000
Norse széria biwire jumper set	4 individual jumpers banana/spade or spade/spade	39000
Referencia széria biwire jumper set	5 individual jumpers banana/spade or spade/spade	159000
ECO 3 (236 ml)	kábel és csatlakozó karbantartó antisztatikus spray	11000
Nordost Set-up and tuning CD		7900